



Staň sa lepšou verziou samého seba...

Referencie a odkazy k článku: Spoznajte “štvrtý” makronutrient vo výžive človeka

- [1]. Oliver E. Owen. „Ketone Bodies as a Fuel for the a Brain during Starvation,“ *Biochemistry And Molecular Biology Education* Vol. 33, No. 4, 2005:346-251
- [2]. Newman JC, Verdin E. β -Hydroxybutyrate: much more than a metabolite. *Diabetes Res Clin Pract* 2014;106(2):173–81.
- [3]. Stafstrom CE, Rho JM. The ketogenic diet as a treatment paradigm for diverse neurological disorders. *Front Pharmacol* 2012;3:1–8 [59].
- [4]. Volek JS, Fernandez ML, Feinman RD, Phinney SD. Dietary carbohydrate restriction induces a unique metabolic state positively affecting atherogenic dyslipidemia, fatty acid partitioning, and metabolic syndrome. *Prog Lipid Res* 2008; 47(5):307–18.
- [5]. Thomas N. Seyfried, Roberto E. Flores, Angela M. Poff, and Dominic P. D’Agostino Cancer as a metabolic disease: implications for novel therapeutics. *Carcinogenesis* 2014.
- [6]. Shukla SK, Gebregiworgis T, Purohit V, et al. Metabolic reprogramming induced by ketone bodies diminishes pancreatic cancer cachexia. *Cancer & Metabolism*. 2014;2:18. doi:10.1186/2049-3002-2-18.
- [7]. Shimazu, Tadahiro et al. “Suppression of Oxidative Stress by B-Hydroxybutyrate, an Endogenous Histone Deacetylase Inhibitor.” *Science (New York, N.Y.)* 339.6116 (2013): 211–214. *PMC*. Web. 6 Apr. 2016.
- [8]. Sankar R, Sotero de Menezes M. Metabolic and endocrine aspects of the ketogenic diet. *Epilepsy Research*, 1999,37,191-201
- [9]. Vining EPG, Freeman JM, Ballabin-Gil K, et al. A multicenter study of the efficacy of the ketogenic diet. *Arch Neurol*. 1998;55:1433-1437.
- [10]. Neal EG, Chaffe H, Schwartz RH, et al. The ketogenic diet for the treatment of childhood epilepsy: a randomised controlled trial. *Lancet Neurol*, 2008;7:500–6.
- [11]. Lefevre F, Aronson N. Ketogenic diet for the treatment of refractory epilepsy in children: a systematic review of efficacy. *Pediatrics*,2000;105:E46.
- [12]. Kossoff EH, Zupec-Kania BA, Amark PE, et al. Optimal clinical management of children receiving the ketogenic diet: Recommendations of the international ketogenic diet study group. *Epilepsia*, 2009,50(2), 304-317.
- [13]. Sullivan, et al. Prevalence and severity of feeding and nutritional problems in children with neurological impairment: Oxford Feeding Study *Developmental Medicine & Child Neurology*, 2000, 42: 674–680
- [14]. Dominic P. D’Agostino, Raffaele Pilla, et al. Therapeutic ketosis with ketone ester delays central nervous system oxygen toxicity seizures in rats. *Am J Physiol Regul Integr Comp Physiol*. 2013 May 15; 304(10): R829–R836.
- [15]. Richard L. Veech, Britton Chance, Yoshihiro Kashiwaya, Henry A. Lardy and George F. Cahill Jr. Ketone Bodies, Potential Therapeutic Uses. *IUBMB Life*. 2001 April; 51(4): 241–247.

- [16]. Wilder RM. The effect of ketonemia on the course of epilepsy. *Mayo Clin Bulletin*, 1921; 2:307-308.
- [17]. Freeman JM, Kossoff EH, Freeman JB, et al. *The Ketogenic Diet: Treatment for Children and Others with Epilepsy*. 4 th ed. New York, Demos Medical Publishing, 2007.
- [18]. Bergqvist AG, Gallagher PR, et al. Fasting versus gradual initiation of the ketogenic diet: a prospective, randomized clinical trial of efficacy. *Epilepsia*, 2005; 46(11): 1810-1819.
- [19]. Kim DW, Kang HC, Park JC, Kim H, et. al. Benefits of the nonfasting ketogenic diet compared with the initial ketogenic diet. *Pediatrics*, 2004; 114:1627–1630.
- [20]. Bansal S, Cramp L, Blalock D, Zelleke T, Carpenter J, Kao A, et. al. The ketogenic diet: initiation at goal calories versus gradual caloric advancement. *Pediatr Neurol*, 2014; 50: 26-30.
- [21]. Ramachandran Nair R, Fabe J, Prasad N, Donner S, et.al. Safety and efficacy of outpatient initiation of the ketogenic diet: Increasing accessibility and reducing wait times in the Province of Ontario. *EpLink Research Project*. 2015.
- [22]. Vaisleib II, Buchhalter JR, Zupanc ML, et. al. Ketogenic diet: outpatient initiation, without fluid, or caloric restrictions. *Pediatr Neurol*, 2004 Sep; 31(3): 198-202.
- [23]. Rubenstein J. Use of the Ketogenic diet in neonates and infants. *Epilepsia*, 2008;49:30-32. 2. Cole N, Pfeifer H, Thiele E. Initiating and maintaining the ketogenic diet in breastfed infants. *ICAN: Infant Child Adoles Nutr*, 2010;2:177-180.
- [24]. Vanatta L, Zupec-Kania BA, Jarrar R. et al. Pancreatic enzyme therapy reduces high triglycerides in ketogenic diet patient. *Third International Symposium; diet therapies for epilepsy & other neurological disorders*. 2012: Abs 17. disorders Abstract 17.
- [25]. Kossoff EH, Zupec-Kania BA, Amark PE, et al. Optimal clinical management of children receiving the ketogenic diet: Recommendations of the International Ketogenic Diet Study Group. *Epilepsia*, 2009;50(2):304-317.
- [26]. Zupec-Kania BA, Aldez V, Montgomery ME, et al. Enteral and Parenteral Applications of Ketogenic Diet Therapy: Experience From Four Centers. *ICAN*. 2011;3(5):274-281.
- [27]. Roan M. Management of Long-Term Ketogenic Parenteral Nutrition. *ICAN*. 2011;3(5):274-281. 11. Strzelczyk A, Reif PS, Bauer S, et al. Intravenous initiation and maintenance of ketogenic diet: Proof of concept in super-refractory status epilepticus. *Seizure*. 2013;22:581-583.
- [28]. Lin JJ, Lin KL, Chan OW, et al. Intravenous Ketogenic Diet Therapy for Treatment of Acute Stage Super-Refractory Epilepticus in a Pediatric Patient. *Pediatric Neurology*. 2014.
- [29]. O'Connor SE, Zupec-Kania BA, et al. The Ketogenic Diet for the Treatment of Pediatric Status Epilepticus. *Pediatric Neurology* 50; 2014: 101-103.
- [30]. Reger MA, Henderson ST, Hale C, et al. Effects of beta-hydroxybutyrate on cognition in memory-impaired adults. *Neurobiol Aging*, 2004; 25(3):311-4.
- [31]. Prins ML1, Fujima LS, Hovda DA. Age-dependent reduction of cortical contusion volume by ketones after traumatic brain injury. *J Neurosci Res*. 2005; 82(3):413-20.
- [32]. Appelberg KS, Hovda DA, Prins ML. The effects of a ketogenic diet on behavioral outcome after controlled cortical impact injury in the juvenile and adult rat. *J Neurotrauma*, 2009;26(4):497-506.

- [33]. Seyfried BT, Kiebish M, Marsh J, Mukherjee P. Targeting energy metabolism in brain cancer through calorie restriction and the ketogenic diet. *J Can Res Ther*, 2009;5:7-15.
- [34]. Klement RJ, Champ CE. Calories, carbohydrates, and cancer therapy with radiation: exploiting the ve R's through dietary manipulation. *Cancer Metastasis Reviews*, 2014;33(1):217-29NB.
- [35]. Zhou W, Mukherjee P, Kiebish MA, Markis WT, Mantis JG, Seyfried TN. The calorically restricted ketogenic diet, an effective alternative therapy for malignant brain cancer. *Nutr Metab (Lond)*, 2007;4:5.
- [36]. Poff AM, Ari C, Arnold P, Seyfried TN, D'Agostino DP. Ketone supplementation decreases tumor cell viability and prolongs survival of mice with metastatic cancer. *Int. J. Cancer*, 2014;135:1711–20.
- [37]. Nebeling LC, Miraldi F, Shurin SB, Lerner E. Effects of a ketogenic diet on tumor metabolism and nutritional status in pediatric oncology patients: two case reports. *J Am Coll Nutr* 1995, Apr;14(2):202-8.
- [38]. Maroon J, Bost J, Amos A, Zuccoli G. Restricted calorie ketogenic diet for the treatment of glioblastoma multiforme. *J Child Neurol*, 2013 Aug;28(8):1002-8.
- [39]. Rieger J, Bahr O, Maurer GD, et al. ERGO: A pilot study of ketogenic diet in recurrent glioblastoma. *Int J Onc* 2014;44(6):1843-1852.
- [40]. Fine EJ, Segal-Isaacson CJ, Feinman RD. Targeting insulin inhibition as a metabolic therapy in advanced cancer: a pilot safety and feasibility dietary trial of 10 patients. *Nutrition*, 2012;28:1028–35.
- [41]. Abdelwahab MG, Fenton KE, Preul MC, Rho JM, Lynch A, Stafford P, Scheck AC. The ketogenic diet is an effective adjuvant to radiation therapy for the treatment of malignant glioma. *PLoS ONE*, 2012;7(5):e36197.
- [42]. Kossoff EH et al. Optimal clinical management of children receiving the ketogenic diet: recommendations of the International Ketogenic Diet Study Group. *Epilepsia*. 2009 Feb;50(2):304-17.
- [43]. Sami A. Hashim, MD1 and Theodore B. VanItallie, MD. KETONE BODY THERAPY: From the Ketogenic Diet to the Oral Administration of Ketone Ester. *Journal of Lipid Rresearch /2013/046599*
- [44]. Volek JS, et al. Metabolic characteristics of keto-adapted ultra-endurance runners. *Metabolism Clinical and Experimental*. 2016;65:100-110.
- [45]. Cahill GF, Aoki TT. Alternate fuel utilization by brain. In: Passonneau JV, Hawkins RA, Lust WD, Welsh FA, editors. *Cerebral metabolism and neural function*. Baltimore: Wil- liams & Wilkins; 1980.
- [46]. Cahill GF. Fuel metabolism in starvation. *Annu Rev Nutr* 2006;26:1–22.
- [47]. Simon A, et al. Standards for the use of cardiopulmonary exercise testing for the functional evaluation of cardiac patients: a report from the exercise physiology section of the European Association for Cardiovascular Prevention and Rehabilitation. *Europ J Cardiol*. 2009;16:249-267.
- [48]. Wassermann, et. all.: *Excercise Testing and Interpretation. Including Pathophysiology and Clinical Applications*, (Fifth Edition) 2012